

Eni i-Ride moto 4T tec 10W-40



APPLICATIONS

Eni i-Ride moto 4T tec 10W-40 is an engine lubricant that collects the experience and knowledge acquired in the lubricants sector from Eni research in many decades. It is a fully synthetic lubricant, designed to meet the requirements: hardware protection and durability.

CUSTOMER ADVANTAGES

- **Eni i-Ride moto 4T tec 10W-40** maintains its viscosity, lubricity and detergency in different operating conditions, minimizing engine deposits formation and provides excellent wear protection for all engine components.
- The product formulated with a suitable motorcycle additive package, ensures superior performance, engine protection and clutch friction durability.
- The raw materials present in the formulation have been carefully selected to give the product a suitable viscosity values in a wide temperature range.

SPECIFICATIONS

- JASO MA, MA2
- API SN



Eni i-Ride moto 4T tec 10W-40



CHARACTERISTICS

Properties	Method	Unit	Typical
Density at 15°C	ASTM D 4052	kg/dm ³	0.854
Viscosity at 100°C	ASTM D 445	mm ² /s	13.6
Viscosity at 40°C	ASTM D 445	mm ² /s	86.7
Viscosity Index	ASTM D 2270	-	160
Viscosity at -25°C	ASTM D 5293	mPa·s	5000
Flash point COC	ASTM D 92	°C	244
Pour point	ASTM D 5950	°C	-24

