Eni i-Ride moto 4t tec 10W-50



APPLICATIONS

Eni i-Ride moto 4t tec 10W-50 is a fully synthetic lubricant, designed for the latest four-stroke motorcycle engines. It is a product of superior quality expressly formulated to meet high performance levels.

CUSTOMER ADVANTAGES

- The product is designed to guarantee an excellent reliability and engine protection and it is suitable for both long highway rides and Stop&Go urban traffic.
- Thanks to its viscometric properties, Eni i-Ride moto 4t tec 10W-50 can withstand high stresses to which multi-valves motorcycles are submitted.
- The perfect balance between the additives used allows maximum protection and engine life, optimizing clutch and gear performance.

SPECIFICATIONS

- JASO MA, MA2
- API SN



Eni i-Ride moto 4t tec 10W-50



CHARACTERISTICS

| Properties | Method | Unit | Typical |
|--------------------|-------------|-------|---------|
| Density at 15°C | ASTM D 4052 | kg/m³ | 855 |
| Viscosity at 100°C | ASTM D 445 | mm²/s | 19.5 |
| Viscosity at 40°C | ASTM D 445 | mm²/s | 130 |
| Viscosity Index | ASTM D 2270 | - | 170 |
| Viscosity at -25°C | ASTM D 5293 | mPa⋅s | 4465 |
| Flash point COC | ASTM D 92 | °C | 236 |
| Pour point | ASTM D 5950 | °C | -36 |

